

Transmission Lines (220 kV and above) Commissioned/Ready for commissioning During Aug-2021

As on 31-Aug-2021

Sl. No.	Voltage Level (kV)	Name of Transmission Lines	Circuit Type	Executing Agency	Line Length (cKM)
1.	2.	3.	4.	5.	6.
CENTRAL SECTOR Sector					
1	765	Fatehgarh-II PS - Bhadla-II section (PGCIL-RTM)	D/C	PGCIL	374
2	220	Ramgarh - Ranchi (PG) (Bypassing Gola SS) (Balance portion)	S/C	DVC	95
Total of CENTRAL SECTOR					469
STATE SECTOR Sector					
3	400	LILO of ckt-II of Kursi Rd PG- Unnao line at Hardoi Rd (Jehata)	D/C	UPPTCL	25
4	400	LILO of ckt-I of 400 kV DC Kursi Rd PG- Unnao line at Hardoi Rd(Jehata)	D/C	UPPTCL	34
5	400	Telangana STPP - Narsapur	D/C	TSTRANSCO	354
6	400	Telangana STPP - Ramadugu	D/C	TSTRANSCO	104
7	220	LILO of 220 kV Uran- JNPT MUSS line at 220 kV JNPT SEZ S/S	S/C	MSETCL	5
8	220	LILO of one Ckt. of Budhipadar-Basundhara at Lephripara s/s	D/C	OPTCL	9
9	220	LILO of one ckt of Rengali-Barkote line at Deogarh	S/C	OPTCL	25
10	220	LILO of Sector- 72 -Ranglarajpur line at Sohna Road	D/C	HVPNL	9
11	220	LILO of Vadavi - Chhatral line at Santej S/s	D/C	GETCO	51
12	220	Melasandra (New electronic city) - Yerandanahalli	M/C	KPTCL	27
13	220	Mylasandra - Somanahalli-Naganthapura-HSR Layout	M/C	KPTCL	20
14	220	Nirmal - Indravelly (Uttoor) proposed line at Adilabad District	D/C	TSTRANSCO	199
15	220	Second Ckt. stringing Padegaon - Sawangi line	S/C on D/C	MSETCL	15
16	220	Solapur (PG) - Narangwadi	D/C	MSETCL	148
Total of STATE SECTOR					1025
PRIVATE SECTOR Sector					
17	765	Bikaner (PG) - Khetri S/S	D/C	APL	481
Total of PRIVATE SECTOR					481
Grand Total					1975